



#### **Overview**


- Background
- Hardware
- Software design
- Migration of drivers
- Performance
- Benefits
- Further work
- Acknowledgements





## **Our objectives**

- Use x86 based Linux IOCs
- Use VME data acquisition hardware
- Avoid vxWorks
- Reuse existing drivers for VME hardware with as little modification as possible







#### A hardware answer

- SIS 1100/3100 by Struck (www.struck.de)
- Already in use at CLS
- Same manufacturer as some chosen data acquisition equipment
- Universal PCI board now available
- VME board replaces VME CPU
- PCI board inserted into any PCI slot in PC
- Connected using fibre optic link







#### SIS3100 installed in VME crate







#### A software answer

- Utilise Operating System Independent elements in EPICS
- Write implementations of devLib routines for Linux using the Struck bridge
  - devLib currently only exists for vxWorks and RTEMS
- Develop code as an EPICS module so that it can be loaded if required
- Modify EPICS base to allow module to supply devLib implementation

	vxWorks
	EPICS base
VME CPU	Record
	Device support
	Driver support
VME card	Memory/interrupts

	Linux
	EPICS base
x86 CPU	Record
	Device support
	Driver support
	Bridge support
Bridge	
VME card	Memory/interrupts



# Software design - overall

- Build as an EPICS module to make use transparent
- Memory map to PC memory to mimic operation of VME memory addressing
- VME interrupts converted to Linux signals
- Provide implementations of the EPICS devLib commands to allow Operating System independence:
  - devMapAddr
  - devConnectInterruptVME
  - other functions are configured to return success at this stage. Not required for this stage of development.





# Software design - EPICS integration

- Minor change required to EPICS base to allow a library to provide devLib function implementations.
  - Compatible with existing vxWorks/RTEMS implementations
- Add simple devLibOSD.c to \$EPICS\_BASE/src/libCom/osi/os/default

```
#include <stdlib.h>
#include "devLib.h"
devLibVirtualOS *pdevLibVirtualOS;
```

- Update Makefile for libCom
- Implementation of devLib can be supplied in a module in the EPICS IOC executable.





## Software design - memory map

- Memory map to PC memory to mimic operation of VME memory addressing
- Provides implementation of devMapAddr
- Can map address either with or without interrupt support this function needs to be split into the two elements
- Requires a board number purely used as an identifier.
- Maintains list of boards and VME and PC addresses
- Can access 16, 24 and 32 bit VME address spaces
- Utilises mmap library command to map memory





## Software design - interrupt handling

- VME interrupts are converted to PCI interrupt by SIS hardware and to signal by SIS kernel modulenN
- Use sigaction function to register interest in signal and trigger execution of a signal handler
- Maintain a map of VME interrupt vectors and locations of Interrupt Service Routines in PC
- Map is populated as part of card initialisation functions





#### iocsh commands

- •The following iocsh commands are provided to configure the bridge
  - •initPciVmeBridge(crate, controlFile, remoteFile)
  - •mapMemoryNoIRQ(crate, board, VME address, VME AM)
  - •mapMemoryWithIRQ(crate, board, VME address, VME AM, interrupt vector, interrupt level)





# Migration of existing vxWorks driver

- Replace header includes
- Replace vxWorks specific commands
- If driver has been written using devLib commands, may not need to do anything
- OMS VME-58 driver required bit ordering modification, but no other changes
- Example library changes:

vxWorks	PCI/VME Bridge
vxWorks.h	devLib.h
takLib.h	sys/types.h
sysLib.h	
intLib.h	
iv.h	
vxLib.h	
sysLib.h	





# Migration of existing vxWorks driver

• Example function changes:

vxWorks	PCI/VME Bridge
intConnect()	devConnectInterruptVME()
vxMemProbe()	devReadProbe()
sysBusToLocalAdrs()	devMapAddr()

- May need to make use of other EPICS OSI libraries
  - epicsMutex
  - epicsEvent





#### Drivers known to work under PCI/VME bridge

#### **Device**

SIS3820 multiscaler

OMS VME-58 motor controller

DAC128V DAC

TVME200 IP carrier

SBS

IP330 ADC

IP-Unidig Digital IO

# Drivers investigated but not yet converted

#### **Device**

quadEM electrometer





#### **Performance**

- Memory mapping I/O works
- Memory usage on host PC is not an issue so far
- Interrupt handling:
  - 1kHz uses approx 25% CPU on 3GHz Pentium
- Industry Pack interrupt processing is not yet stable
- Simple scan using motor, scaler, scan records operates well using interrupts

#### **Benefits**

- Ability to use VME hardware with Linux PC IOC
- Reuse of existing driver code with minimal modification
- Compatibility with existing EPICS records in synApps
- Do not need to pay for vxWorks
- Do not need to learn vxWorks
- PC host is easily upgraded
- Hardware costs are comparable





#### **Further work**

- Review signal handling architecture
- Fix up code structure
- Optimise code performance
- Produce documentation
- Make available to community
- Migrate additional drivers
- Resolve issue with Industry Pack interrupt handling





# **Acknowledgements**

Russ Berg Canadian Light Source

Glen Wright Canadian Light Source

Mark Rivers GSECARS

Ron Sluiter APS

Tim Mooney APS

Andrew Johnson APS

Eric Norum APS





# Questions?

